



15300 Croydon Drive Suite 300  
Surrey, B.C. V3S 0Z5  
Cell: (778) 991-3078  
Email: calvinh@srmaterial.com  
Web: www.srmaterial.com

## STEEL HOLLOW SECTIONS (HSS)

### RECTANGULAR

Steel Grades: ASTM A500 Gr. A, B, C / CSA G40.21 50W

NOMINAL SIZE			Wall Thickness	Pound Per Foot
inch			inch	lb.
2	x	1	1/8	2.200
			0.165	2.760
			3/16	3.040
2	x	1-1/2	1/8	2.630
			0.165	3.320
			3/16	3.680
2-1/2	x	1	1/8	2.630
			0.165	3.320
			3/16	3.680
2-1/2	x	1-1/5	0.083	2.164
			0.120	3.070
			1/8	3.060
			0.134	3.401
			0.165	4.118
			3/16	4.320
			1/4	5.410
			1/4	5.410
2-1/2	x	2	1/8	3.480
			0.165	4.440
			3/16	4.960
			1/4	6.260
3	x	1	0.065	1.712
			0.083	2.164
			0.120	3.070

NOMINAL SIZE			Wall Thickness	Pound Per Foot
inch			inch	lb.
3	x	1	1/8	3.060
			0.165	4.118
			3/16	4.320
			1/4	5.410
3	x	1-1/2	0.083	2.446
			0.120	3.476
			1/8	3.480
			0.165	4.440
3	x	1-1/2	3/16	4.960
			1/4	6.260
			1/4	6.260
			1/4	6.260
3	x	2	0.083	2.670
			0.120	3.900
			1/8	3.900
			0.165	5.239
			3/16	5.590
			1/4	7.110
3	x	2-1/2	1/4	8.450
			5/16	8.450
			5/16	8.450
3	x	2-1/2	1/8	4.330
			3/16	6.230
			1/4	7.960
3-1/2	x	1-1/2	1/8	3.900
			3/16	5.239
			1/4	5.590



15300 Croydon Drive Suite 300  
Surrey, B.C. V3S 0Z5  
Cell: (778) 991-3078  
Email: calvinh@srmaterial.com  
Web: www.srmaterial.com

## RECTANGULAR

Steel Grades: ASTM A500 Gr. A, B, C / CSA G40.21 50W

NOMINAL SIZE	Wall Thickness	Pound Per Foot
inch	inch	lb.
3-1/2 x 2	1/8	4.330
	3/16	6.230
	1/4	7.960
3-1/2 x 2-1/2	1/8	4.750
	0.165	6.130
	3/16	6.870
	1/4	8.810
4 x 1-1/4	0.120	4.088
4 x 1-1/2	1/8	4.330
	0.165	5.570
	3/16	6.230
	1/4	7.960
4 x 2	0.083	3.290
	0.120	4.750
	1/8	4.750
	0.165	6.130
	3/16	6.870
	1/4	8.810
	5/16	10.580
	3/8	12.170
4 x 2-1/2	1/8	5.180
	3/16	7.510
	1/4	9.660
4 x 3	0.120	5.520
	1/8	5.610

NOMINAL SIZE	Wall Thickness	Pound Per Foot
inch	inch	lb.
4 x 3	3/16	8.150
	1/4	10.510
	5/16	12.700
	3/8	14.720
5 x 2	0.120	5.520
	1/8	5.610
	3/16	8.150
	1/4	10.510
	5/16	12.700
5 x 2-1/2	3/8	14.720
	1/8	6.030
	0.165	8.045
5 x 3	3/16	8.780
	1/4	11.360
	0.120	6.330
	1/8	6.460
5 x 4	3/16	9.420
	1/4	12.210
	5/16	14.830
	3/8	17.210
	1/2	21.630
	1/8	7.310
	3/16	10.700
	1/4	13.910
5 x 3	5/16	16.960
	3/8	19.820
	1/2	25.030



15300 Croydon Drive Suite 300  
Surrey, B.C. V3S 0Z5  
Cell: (778) 991-3078  
Email: calvinh@srmaterial.com  
Web: www.srmaterial.com

## RECTANGULAR

Steel Grades: ASTM A500 Gr. A, B, C / CSA G40.21 50W

NOMINAL SIZE			Wall Thickness	Pound Per Foot
inch			inch	lb.
6	x	2	0.120	6.330
			1/8	6.460
			3/16	9.420
			1/4	12.210
			5/16	14.830
			3/8	17.270
6	x	3	1/8	7.310
			3/16	10.700
			1/4	13.910
			5/16	16.960
			3/8	19.820
			1/2	25.030
6	x	4	1/8	8.160
			3/16	11.970
			1/4	15.620
			5/16	19.080
			3/8	22.370
			1/2	28.430
6	x	5	1/8	9.010
			3/16	13.300
			1/4	17.320
			5/16	21.220
			3/8	24.930
			1/2	31.840
7	x	3	1/8	8.160
			3/16	11.970
			1/4	15.620

NOMINAL SIZE			Wall Thickness	Pound Per Foot
inch			inch	lb.
7	x	3	5/16	19.080
			3/8	22.370
			1/2	28.430
7	x	4	1/8	9.010
			3/16	13.300
			1/4	17.320
			5/16	21.220
7	x	5	3/8	24.930
			1/2	31.840
			1/8	9.860
			3/16	14.530
7	x	5	1/4	19.020
			5/16	23.340
			3/8	27.480
			1/2	35.240
8	x	2	1/8	8.160
			3/16	11.970
			1/4	15.620
			5/16	19.080
8	x	2	3/8	22.370
			1/8	9.010
			3/16	13.300
			1/4	17.320
8	x	3	5/16	21.220
			3/8	24.930
			1/2	31.840
			1/4	15.620



15300 Croydon Drive Suite 300  
Surrey, B.C. V3S 0Z5  
Cell: (778) 991-3078  
Email: calvinh@srmaterial.com  
Web: www.srmaterial.com

**RECTANGULAR**

Steel Grades: ASTM A500 Gr. A, B, C / CSA G40.21 50W

NOMINAL SIZE			Wall Thickness	Pound Per Foot
inch			inch	lb.
8	x	4	3/16	14.530
			1/4	19.020
			5/16	23.340
			3/8	27.480
			1/2	35.240
			5/8	42.300
8	x	6	3/16	17.080
			1/4	22.420
			5/16	27.590
			3/8	32.580
			1/2	42.050
			5/8	50.810
9	x	5	3/16	17.080
			1/4	22.420
			5/16	27.590
			3/8	32.580
			1/2	42.050
9	x	7	3/16	19.630
			1/4	25.820
			5/16	31.840
			3/8	37.690
			1/2	48.850
			5/8	59.320
10	x	2	3/16	14.530
			1/4	19.020
			5/16	23.340
			3/8	27.480

NOMINAL SIZE			Wall Thickness	Pound Per Foot
inch			inch	lb.
10	x	3	0.134	11.601
			3/16	15.800
			1/4	20.720
			5/16	25.460
			3/8	30.030
10	x	3-1/2	0.134	12.057
			3/16	16.440
			1/4	21.570
			5/16	26.530
10	x	4	3/16	17.080
			1/4	22.420
			5/16	27.590
			3/8	32.580
10	x	5	1/2	42.050
			5/8	50.810
			3/16	18.384
			1/4	24.100
			5/16	29.732
10	x	6	3/8	35.102
			1/2	45.406
			5/8	55.011
			3/16	19.630
10	x	6	1/4	25.820
			5/16	31.840
			3/8	37.690



15300 Croydon Drive Suite 300  
Surrey, B.C. V3S 0Z5  
Cell: (778) 991-3078  
Email: calvinh@srmaterial.com  
Web: www.srmaterial.com

## RECTANGULAR

Steel Grades: ASTM A500 Gr. A, B, C / CSA G40.21 50W

NOMINAL SIZE			Wall Thickness	Pound Per Foot
inch			inch	lb.
10	x	6	1/2	48.850
			5/8	59.320
10	x	8	3/16	22.180
			1/4	29.230
			5/16	36.100
			3/8	42.790
			1/2	55.660
12	x	3	5/8	67.820
			3/16	18.384
			1/4	24.100
			5/16	29.732
12	x	4	3/8	35.102
			3/16	19.630
			1/4	25.820
			5/16	31.840
12	x	6	3/8	37.690
			1/2	48.850
			5/8	59.320
			3/16	22.180
			1/4	29.230
12	x	8	5/16	36.100
			3/8	42.790
			1/2	55.660
			5/8	67.820
			3/16	24.730
			1/4	32.630

NOMINAL SIZE			Wall Thickness	Pound Per Foot
inch			inch	lb.
12	x	8	5/16	40.350
			3/8	47.900
			1/2	62.460
			5/8	76.330
12	x	10	1/4	36.030
			5/16	44.670
			3/8	53.000
			1/2	69.270
			5/8	84.840
14	x	4	3/16	22.180
			1/4	29.230
			5/16	36.100
			3/8	42.790
			1/2	55.660
14	x	6	5/8	67.820
			3/16	24.730
			1/4	32.630
			5/16	40.350
			3/8	47.900
14	x	10	1/2	62.460
			5/8	76.330
			1/4	39.430
			5/16	48.860
			3/8	58.100
			1/2	76.070
			5/8	93.340



15300 Croydon Drive Suite 300  
Surrey, B.C. V3S 0Z5  
Cell: (778) 991-3078  
Email: calvinh@srmaterial.com  
Web: www.srmaterial.com

## RECTANGULAR

Steel Grades: ASTM A500 Gr. A, B, C / CSA G40.21 50W

NOMINAL SIZE			Wall Thickness	Pound Per Foot
inch			inch	lb.
16	x	4	3/16	24.730
			1/4	32.630
			5/16	40.350
			3/8	47.900
			1/2	62.460
			5/8	76.330
16	x	8	1/4	39.430
			5/16	48.860
			3/8	58.100
			1/2	76.070
			5/8	93.340
			16	x
5/16	57.360			
3/8	68.310			
1/2	89.680			
5/8	110.360			
3/4	130.330			
18	x	6	1/4	39.430
			5/16	48.860
			3/8	58.100
			1/2	76.070
			5/8	93.340
20	x	4	1/4	39.430
			5/16	48.860
			3/8	58.100
			1/2	76.070

NOMINAL SIZE			Wall Thickness	Pound Per Foot
inch			inch	lb.
20	x	8	1/4	46.750
			5/16	57.360
			3/8	68.310
			1/2	89.680
			5/8	110.360
			20	x
5/16	65.870			
3/8	78.520			
1/2	103.300			
5/8	127.370			
3/4	150.750			
24	x	12	1/2	116.910
			5/8	144.390
			3/4	171.160

Lengths: 20', 24', 40'

Minimum Order Quantity: 25MT Per Size

Origin: China

Invoicing: Theoretical Weight Basis

For pricing information, please send us a formal inquiry with sizes and quantity. If you want a size that you don't find on our list, please contact me with an inquiry of your required sizes and quantity and we will do our best to supply.